



State of Illinois

ENVIRONMENTAL PROTECTION AGENCY

Mary A. Gade, Director

2200 Churchill Road, Springfield, IL 62794-9276

US EPA RECORDS CENTER REGION 5



1002393

MEMORANDUM

DATE: December 15, 1994
TO: File
FROM: Andy Vollmer *AV*
SUBJECT: LPC# 0890100007 - Kane County
Morton Coating, Inc. - Batavia
ILD 095309647
Financial File

On 12/14/94 a record review was completed by this writer and it was found that the facility was certified closed 6/6/94. Therefore, no financial assurance is required.

cc: Division file
Maywood Region ✓
Todd Marvel
Brian White
Deanne Virgin

CL: USEPA

0890100007 - Kane Co
Morton Coating, Inc Batavia
ILD 095309647
Financial file

**Illinois Environmental Protection Agency
Bureau Of Land
Record Review Report Form for Compliance Evaluations**

Date of Record Review 12-14-94

Facility Name MORTON Coating Inc Batavia

USEPA # ILD 095309647 IEPA # 089 0100007

Street Address 1500 Latham St.

City Batavia County Kane

Zip Code 60510 Phone # 708-879-6800

Contact Person Eugene M Murphy

Type of Facility

LDF ? Yes ☒ No ☐

Type of letter to be sent:
(include variable sheet)

Regulated As:

Transporter _____
Treatment _____
Storage ☒ _____
Disposal _____
Generator (G1, G2, G3, G5) _____

CIL _____
PECL _____
ENL _____
In Compliance _____
Continuing Non Comp. _____
Update Referral _____
None _____
Other _____

Description of documents reviewed:

Summary of Apparent Violations

Violation	Area	Class	Violation	Area	Class
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Include an asterisk (*) next to any continuing violations

Reviewer Andrew Vollmer Title Executive

Date 12-14-94

You must attach Review Notes including a Narrative describing reasons or justification for any apparent violations cited.

089010007 - Kane Co

12-14-94

Morton Coatings INC. Batavia

ILD 095309647

Financial File

on this date a record review was completed of the file for this facility and it was found that this facility was certified closed on 6-6-94, therefore no financial assistance is required.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5

77 WEST JACKSON BOULEVARD

CHICAGO, IL 60604-3590

RECEIVED MAY 17 1993
WMD RCRA
RECORD CENTER

REPLY TO THE ATTENTION OF:

HRE-8J

April 29, 1993

Mr. Eugene Murphy
Vice President
Morton Coatings, Inc.
1500 Lathem Street
Batavia, Illinois 60510

Re: Visual Site Inspection
Morton Coatings, Inc.
Batavia, Illinois
ILD 095 309 647

Dear Mr. Murphy:

The United States Environmental Protection Agency (U.S. EPA) Region V will conduct a Preliminary Assessment including a Visual Site Inspection (PA/VSI) at the referenced facility. This inspection is conducted pursuant to the Resource Conservation and Recovery Act, as amended (RCRA) Section 3007 and the Comprehensive Environmental Response, Compensation, and Liability Act, as amended (CERCLA) Section 104(e). The referenced facility has generated, treated, stored, or disposed of hazardous waste subject to RCRA. The PA/VSI requires identification and systematic review of all solid waste streams at the facility. The objective of the PA/VSI is to determine whether or not releases of hazardous wastes or hazardous constituents have occurred or are occurring at the facility which may require further investigation. This analysis will also provide information to establish priorities for addressing any confirmed releases.

The visual site inspection of your facility is to verify the location of all solid waste management units (SWMUs) and areas of concern (AOCs) to make a cursory determination of their condition by visual observation. The definitions of SWMUs and AOCs are included in Attachment I. The VSI supplements and updates data gathered during a preliminary file review. During this site inspection, no samples will be taken. A sampling visit to ascertain if releases of hazardous waste or constituents have occurred may be required at a later date.

Assistance of some of your personnel may be required in reviewing solid waste flow(s) or previous disposal practices. The site inspection is to provide a technical understanding of the present and past waste flows and handling, treatment, storage, and disposal practices. Photographs of the facility are necessary to document the condition of the units at the facility and the waste management practices used.

Mr. Eugene Murphy
April 29, 1993
Page 2

The VSI has been scheduled for May 12, 1993 at 1:00 p.m. The inspection team will consist of Keith Foszcz and Tom Girman of PRC Environmental Management, Inc., a contractor for the U.S. EPA. Representatives of the Illinois Environmental Protection Agency may also be present. Your cooperation in admitting and assisting them while on site is appreciated.

The U.S. EPA recommends that personnel who are familiar with present and past manufacturing and waste management activities be available during the VSI. Access to any relevant maps, diagrams, hydrogeologic reports, environmental assessment reports, sampling data sheets, environmental permits (air, NPDES), manifests and/or correspondence is also necessary, as such information is needed to complete the PA/VSI.

If you have any questions, please contact me at (312) 886-4448 or Francene Harris at (312) 886-2884. A copy of the Preliminary Assessment/Visual Site Inspection Report, excluding the conclusions and Executive Summary portion will be sent when the report is available.


Sincerely yours,




Kevin M. Pierard, Chief
OH/MN Technical Enforcement Section

Enclosure

cc: Lawrence Eastep, IEPA




Maped, edited, and published by the Geological Survey
Control by USGS and USC&GS
Planimetry by photogrammetric methods from aerial photographs
taken 1963. Topography by planetable surveys 1948. Revised 1964
Polyconic projection. 1927 North American datum
10,000-foot grid based on Illinois coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue
Red tint indicates areas in which only landmark buildings are shown
Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked
Revisions shown in purple compiled from aerial photographs
taken 1972. This information not field checked
Purple tint indicates extension of urban areas



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U.S. Route ——— State Route ———

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D.C. 20242
AND BY THE STATE GEOLOGICAL SURVEY, URBANA, ILLINOIS 61801
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

AURORA NORTH, ILL.
SE 1/4 GENEVA 15' QUADRANGLE
N4145—W8815/7.5
1964
PHOTOGRAPHED 1972
AMS 3367 IV SE—SERIES V863



Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and Cook County Highway Department
Topography by photogrammetric methods from aerial photographs
taken 1952 and planetable surveys 1953. Revised from aerial
photographs taken 1962. Field checked 1962
Polyconic projection. 1927 North American datum
10,000-foot grid based on Illinois coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue
Red tint indicates areas in which only landmark buildings are shown
Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked

UTM GRID AND 1972 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000
1 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 0 1 2 3 4 5 6 7 8 9 10 KILOMETER
CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
AND BY THE STATE GEOLOGICAL SURVEY, URBANA, ILLINOIS 61801
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST


Revisions shown in purple compiled from aerial photographs
taken 1972. This information not field checked
Purple tint indicates extension of urban areas

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U. S. Route ——— State Route ———

NAPERVILLE, ILL.
SW 4 WHEATON 15' QUADRANGLE
N4145—W8807.5/7.5
1962
PHOTOREVISED 1972
AMS 3367 I SW—SERIES V863

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WEST CHICAGO QUADRANGLE
ILLINOIS
7.5 MINUTE SERIES (TOPOGRAPHIC)
NW/4 WHEATON 15' QUADRANGLE



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs
taken 1952 and planetable surveys 1953. Revised from aerial
photographs taken 1962. Field checked 1962


Polyconic projection. 1927 North American datum
10,000-foot grid based on Illinois coordinate system, east zone
1000-meter Universal Transverse Mercator grid ticks,
zone 16, shown in blue

Red tint indicates area in which only landmark buildings are shown

Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unchecked

Revisions shown in purple compiled from aerial photographs
taken 1972. This information not field checked

Purple tint indicates extension of urban areas



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D.C. 20242
AND BY THE STATE GEOLOGICAL SURVEY, URBANA, ILLINOIS 61801
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U.S. Route ——— State Route ———


WEST CHICAGO, ILL.
NW/4 WHEATON 15' QUADRANGLE
N4152.5—W8807.5/7.5

1962
PHOTOREVISED 1972
AMS 3367 1 NW-SERIES V863

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

STATE OF ILLINOIS
DEPARTMENT OF REGISTRATION AND EDUCATION
GEOLOGICAL SURVEY DIVISION
URBANA, ILLINOIS

GENEVA QUADRANGLE
ILLINOIS
7.5 MINUTE SERIES (TOPOGRAPHIC)



Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Planimetry by photogrammetric methods from aerial photographs taken 1963. Topography by planimetric surveys 1947-48. Revised 1964

Polyconic projection. 1927 North American datum


10,000-foot grid based on Illinois coordinate system, east zone 1000-meter Universal Transverse Mercator grid ticks, zone 16, shown in blue

Red tint indicates areas in which only landmark buildings are shown

Fine red dashed lines indicate selected fence and field lines generally visible on aerial photographs. This information is unchecked

Revisions shown in purple compiled from aerial photographs taken 1972. This information not field checked

Purple tint indicates extension of urban areas



CONTOUR INTERVAL 10 FEET

DOTTED LINES REPRESENT 5-FOOT CONTOURS

DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
AND BY THE STATE GEOLOGICAL SURVEY, URBANA, ILLINOIS 61801
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION	
Heavy-duty	Light-duty
Medium-duty	Unimproved dirt
U.S. Route	State Route

GENEVA, ILL.
NE/4 GENEVA 15' QUADRANGLE
N4152.5-W8815.7/7.5

1964
PHOTOREVISED 1972
AMS 3367 IV NE-SERIES V863